

Message

From: Davis, Eva [Davis.Eva@epa.gov]
Sent: 7/30/2018 1:00:27 PM
To: d'Almeida, Carolyn K. [dAlmeida.Carolyn@epa.gov]
Subject: FW: ST012 Site Activities and two week look ahead

As they told us on the last conference call, they are supposed to be sampling the perimeter wells quarterly. They sampled some of them in April 2018 as part of the re-baseline sampling, now they are going back and getting those they missed. But April was 3 months ago – it's time for another round of quarterly perimeter well sampling. they need to get on a quarterly schedule with the perimeter wells.

From: Smallbeck, Donald R. [mailto:donald.smallbeck@woodplc.com]
Sent: Saturday, July 28, 2018 12:56 PM
To: d'Almeida, Carolyn K. <dAlmeida.Carolyn@epa.gov>; Smallbeck, Donald R. <donald.smallbeck@woodplc.com>; Davis, Eva <Davis.Eva@epa.gov>; 'JERRARD, CATHERINE V CIV USAF HAF AFCEC/CIBW' <catherine.jerrard@us.af.mil>; 'Wayne Miller' <Miller.Wayne@azdeq.gov>; Pearson, Stuart C. <stuart.pearson@woodplc.com>
Cc: d p <DPope@css-dynamac.com>; 'MOOK, PHILIP H JR GS-15 USAF AFCEC AFCEC/CIBW' <philip.mook@us.af.mil>; 'Geoff Watkin' <Geoff.Watkin@SpecProSvc.com>; Nicole Goers <Nicole.Goers@TechLawInc.com>; 'Brasaemle, Karla' <KBrasaemle@TechLawInc.com>; Anderson, Scott J <scott.anderson2@woodplc.com>; 'Rohrbaugh, Amanda' <ARohrbaugh@TechLawInc.com>; 'Bo Stewart' <bo@praxis-enviro.com>; 'William Hughes' <William.Hughes@SpecProSvc.com>; 'steve@uxopro.com' <steve@uxopro.com>; 'Jennings, Eleanor' <Eleanor.Jennings@parsons.com>
Subject: RE: ST012 Site Activities and two week look ahead

Carolyn

CZ24 (<1.0 U), UWBZ38 (<1.0 U), LSZ54 (<1.0 U), and LSZ55 (0.25 F) were sampled as part of the re-baseline in April 2018.

As to your second question, the AF is following the groundwater monitoring plan as presented in the Pilot Study Implementation Work Plan. The first groundwater monitoring event in the work plan was the re-baseline sampling.

D.R. Smallbeck
Principal Program Manager
Construction Remediation

4600 E. Washington Street, Suite 600, Phoenix, Arizona 85034-1917
D +1.602.733.6040 C +1.707.480.7212
Donald.Smallbeck@amectiv.com

www.woodplc.com

wood.

Amec Foster Wheeler and Wood Group are now Wood.

From: d'Almeida, Carolyn K. <dAlmeida.Carolyn@epa.gov>
Sent: Friday, July 27, 2018 4:46 PM
To: Smallbeck, Donald R. <donald.smallbeck@woodplc.com>; Davis, Eva <Davis.Eva@epa.gov>; 'JERRARD, CATHERINE V CIV USAF HAF AFCEC/CIBW' <catherine.jerrard@us.af.mil>; 'Wayne Miller' <Miller.Wayne@azdeq.gov>; Pearson, Stuart C. <stuart.pearson@woodplc.com>
Cc: d p <DPope@css-dynamac.com>; 'MOOK, PHILIP H JR GS-15 USAF AFCEC AFCEC/CIBW' <philip.mook@us.af.mil>; 'Geoff Watkin' <Geoff.Watkin@SpecProSvc.com>; Nicole Goers <Nicole.Goers@TechLawInc.com>; 'Brasaemle, Karla' <KBrasaemle@TechLawInc.com>; Anderson, Scott J <scott.anderson2@woodplc.com>; 'Rohrbaugh, Amanda' <ARohrbaugh@TechLawInc.com>; 'Bo Stewart' <bo@praxis-enviro.com>; 'William Hughes'

<William.Hughes@SpecProSvcs.com>; 'steve@uxopro.com' <steve@uxopro.com>; 'Jennings, Eleanor' <Eleanor.Jennings@parsons.com>

Subject: RE: ST012 Site Activities and two week look ahead

What about CZ24, UWBZ38, LSZ54, LSZ55 that are also downgradient perimeter wells?

What is the general schedule/rationale for sampling perimeter wells vs. interior?

Carolyn d'Almeida
Remedial Project Manager
Federal Facilities Branch (SFD 8-1)
US EPA Region 9 Laboratory
1337 South 46th Street, Building 201
Richmond, CA 94804
(415) 972-3150

"Because a waste is a terrible thing to mind..."

From: Smallbeck, Donald R. [<mailto:donald.smallbeck@woodplc.com>]

Sent: Friday, July 27, 2018 8:28 AM

To: Davis, Eva <Davis.Eva@epa.gov>; Smallbeck, Donald R. <donald.smallbeck@woodplc.com>; 'JERRARD, CATHERINE V CIV USAF HAF AFCEC/CIBW' <catherine.jerrard@us.af.mil>; 'Wayne Miller' <Miller.Wayne@azdeq.gov>; d'Almeida, Carolyn K. <dAlmeida.Carolyn@epa.gov>; Pearson, Stuart C. <stuart.pearson@woodplc.com>

Cc: d p <DPope@css-dynamac.com>; 'MOOK, PHILIP H JR GS-15 USAF AFCEC AFCEC/CIBW' <philip.mook@us.af.mil>; 'Geoff Watkin' <Geoff.Watkin@SpecProSvcs.com>; Nicole Goers <Nicole.Goers@TechLawInc.com>; 'Brasaemle, Karla' <KBrasaemle@TechLawInc.com>; Anderson, Scott J <scott.anderson2@woodplc.com>; 'Rohrbaugh, Amanda' <ARohrbaugh@TechLawInc.com>; 'Bo Stewart' <bo@praxis-enviro.com>; 'William Hughes' <William.Hughes@SpecProSvcs.com>; 'steve@uxopro.com' <steve@uxopro.com>; 'Jennings, Eleanor' <Eleanor.Jennings@parsons.com>

Subject: RE: ST012 Site Activities and two week look ahead

Eva

The downgradient perimeter wells that are being sampled this week are as follows

CZ: C02

UWBZ: U02, U37, U38, RB-3A

LSZ: W34, W38, W24

D.R. Smallbeck
Principal Program Manager
Construction Remediation

4600 E. Washington Street, Suite 600, Phoenix, Arizona 85034-1917
D +1.602.733.6040 C +1.707.480.7212

Donald.Smallbeck@amectv.com

www.woodplc.com

wood.

Amec Foster Wheeler and Wood Group are now Wood.

From: Davis, Eva <Davis.Eva@epa.gov>

Sent: Wednesday, July 25, 2018 10:34 AM

To: Smallbeck, Donald R. <donald.smallbeck@woodplc.com>; 'JERRARD, CATHERINE V CIV USAF HAF AFCEC/CIBW' <catherine.jerrard@us.af.mil>; 'Wayne Miller' <Miller.Wayne@azdeq.gov>; d'Almeida, Carolyn K. <dAlmeida.Carolyn@epa.gov>; Pearson, Stuart C. <stuart.pearson@woodplc.com>

Cc: d p <DPope@css-dynamac.com>; 'MOOK, PHILIP H JR GS-15 USAF AFCEC AFCEC/CIBW' <philip.mook@us.af.mil>; 'Geoff Watkin' <Geoff.Watkin@SpecProSvcs.com>; Nicole Goers <Nicole.Goers@TechLawInc.com>; 'Brasaemle, Karla' <KBrasaemle@TechLawInc.com>; Anderson, Scott J <scott.anderson2@woodplc.com>; 'Rohrbaugh, Amanda' <ARohrbaugh@TechLawInc.com>; 'Bo Stewart' <bo@praxis-enviro.com>; 'William Hughes' <William.Hughes@SpecProSvcs.com>; 'steve@uxopro.com' <steve@uxopro.com>; 'Jennings, Eleanor' <Eleanor.Jennings@parsons.com>

Subject: RE: ST012 Site Activities and two week look ahead

Don – can you give us a list of the perimeter wells that are being sampled this week or were sampled last week? Thanks Eva

From: Smallbeck, Donald R. [<mailto:donald.smallbeck@woodplc.com>]

Sent: Tuesday, July 24, 2018 9:10 AM

To: 'JERRARD, CATHERINE V CIV USAF HAF AFCEC/CIBW' <catherine.jerrard@us.af.mil>; 'Wayne Miller' <Miller.Wayne@azdeq.gov>; d'Almeida, Carolyn K. <dAlmeida.Carolyn@epa.gov>; Pearson, Stuart C. <stuart.pearson@woodplc.com>

Cc: d p <DPope@css-dynamac.com>; Davis, Eva <Davis.Eva@epa.gov>; 'MOOK, PHILIP H JR GS-15 USAF AFCEC AFCEC/CIBW' <philip.mook@us.af.mil>; 'Geoff Watkin' <Geoff.Watkin@SpecProSvcs.com>; Nicole Goers <Nicole.Goers@TechLawInc.com>; 'Brasaemle, Karla' <KBrasaemle@TechLawInc.com>; Anderson, Scott J <scott.anderson2@woodplc.com>; 'Rohrbaugh, Amanda' <ARohrbaugh@TechLawInc.com>; 'Bo Stewart' <bo@praxis-enviro.com>; 'William Hughes' <William.Hughes@SpecProSvcs.com>; 'steve@uxopro.com' <steve@uxopro.com>; 'Jennings, Eleanor' <Eleanor.Jennings@parsons.com>

Subject: ST012 Site Activities and two week look ahead

Activities Last Week

- SVE Operation
- Checked for LNAPL in EQ Tanks. No signs of sheen/LNAPL.
- Scheduled Driller for pump pulls
- Received preliminary result for July CZ23 sample by Test America Phoenix lab (benzene 38 µg/L)
- Tested spare pumps on VFDs
- Continued CZ07 extraction
- Sulfate mixing and injection remain on hold

This Week (7/23-7/27)

- SVE Operation
- Pull and replace pumps that are not working
- Continue CZ07 extraction
- Sample perimeter wells not included in re-baseline event
- Update benzene contour figures from BCT call to include data from 2017 annual event (no change to contour shapes required)

Next Week (7/30-8/3)

- SVE Operation
- LNAPL checks
- Continue CZ07 extraction
- Finish sampling perimeter wells not included in re-baseline event

D.R. Smallbeck
Principal Program Manager
Construction Remediation

4600 E. Washington Street, Suite 600, Phoenix, Arizona 85034-1917
D +1.602.733.6040 C +1.707.480.7212
Donald.Smallbeck@amecfw.com
www.woodplc.com



Amec Foster Wheeler and Wood Group are now Wood.

This message is the property of John Wood Group PLC and/or its subsidiaries and/or affiliates and is intended only for the named recipient(s). Its contents (including any attachments) may be confidential, legally privileged or otherwise protected from disclosure by law. Unauthorized use, copying, distribution or disclosure of any of it may be unlawful and is strictly prohibited. We assume no responsibility to persons other than the intended named recipient(s) and do not accept liability for any errors or omissions which are a result of email transmission. If you have received this message in error, please notify us immediately by reply email to the sender and confirm that the original message and any attachments and copies have been destroyed and deleted from your system.

If you do not wish to receive future unsolicited commercial electronic messages from us, please forward this email to: unsubscribe@woodplc.com and include "Unsubscribe" in the subject line. If applicable, you will continue to receive invoices, project communications and similar factual, non-commercial electronic communications.

Please click <http://www.woodplc.com/email-disclaimer> for notices and company information in relation to emails originating in the UK, Italy or France.

As a recipient of an email from a John Wood Group Plc company, your contact information will be on our systems and we may hold other personal data about you such as identification information, CVs, financial information and information contained in correspondence. For more information on our privacy practices and your data protection rights, please see our privacy notice at <https://www.woodplc.com/policies/privacy-notice>
